



Sys35




Sys35

An architectural linear lighting system that integrates effortlessly with all kinds of spaces, Sys35's thin profile and state-of-the-art modules make it excellent for accent and general lighting.



Functional integration

With a variety of modules to perform the right lighting functions for different tasks, Sys35 allows the desired light type for each step along its path.



Flexibility

From wall to ceiling, wall to wall, around right angles, and into niches, Sys35 seamless system flows with architecture and allows clean installation and easy access to light modules.


Bespoke

Sys35 made to measure and customisable: design the layout, define the size, and choose from a range of modules featuring the latest advances in light definition.



Profile

A narrow aluminium profile that encloses all its necessary electronic components, Sys35 allows for amazingly subtle and minimalist lighting integration.



Diffuse modules

A powerful light from a single line. Frosted polycarbonate diffuser with user-friendly clipping system and double fitting system: flushed or recessed.

≥ 838mm



3000K
4000K

inVision Sys modules

Efficient and compact thanks to the latest Bartenbach double-focus lens, inVision creates great light distribution from an invisible source.

600mm / 1200mm

Medium 30°
Wide flood 50°



2700K
3000K
4000K

Onit Sys modules

Discreet and versatile, O/M's new adjustable spotlight is ideal for light modelling across a wide range of functions and ambiances.

200mm

Spot 13°
Medium 30°
Elliptical refractor



2700K
3000K
4000K

Blind modules

To create rhythm and spacing between modules, include an aluminium cover plate with concealed connectors inside.

300mm / 600mm

